



MOOD MAGIC SDS 08.10.19

1. Identification of the substance/preparation and of the company/undertaking

Identification of the product

Product name: Mood Magic Paint

Company/ undertaking identification

Company: ProFiles BackStage

2323 del Prado Blvd, Cape Coral FL 33990

Tel No.:888-545-1200

2. Hazards identification

No hazardous product as specified in Directive 67/548/EEC

3. Composition/ /information on ingredients

Chemical Composition	By Weight	CAS No.
Cholesteryl chloride	20~50%	910-31-6
Aqua	20~50%	7732-18-5
Polyvinyl Alcohol	15~35%	9002-89-5
Methoxypolyoxymethylene Melamine	5~10%	68002-20-0

4. First aid measures

After inhalation: Remove from exposure immediately. Use a bag valve mask or similar device to perform artificial respiration (rescue breathing).

After skin contact: wash off with water.

After eye contact: rinse out with water. Immediately flush eyes with water for 15 minutes.

See a physician if the irritation persists.

After swallowing (large amounts): Induce vomiting immediately. See a physician.

5. Fire-fighting measures

Extinguishing media

Dry chemical, dry foam, sand, CO₂

Special fire-fighting procedures

Wear full protective clothing and self contained breathing apparatus.

6. Accidental release measures

Wear respirator, chemical safety goggles, rubber boots and heavy rubber gloves. Sweep up, place in a bag and hold for waste disposal. Avoid raising dust. Ventilate area and wash spill site after material pickup is complete.

7. Handling and storage

Handling:

Avoid spilling. Maintaining good housekeeping standards to avoid accumulation of dust.

Storage:

Tightly closed. Keep in dark place. Dry.

Storage temperature: 5°C~17°C, and avoiding sunlight.

8. Exposure controls/personal protection

Technical protective

Practice good personal hygiene.

Personal protective equipment

Safety glasses with side shields recommended for normal handling, dust proof goggles recommended for dust, environments. Use protective gloves. Eyewash facility.

Industrial hygiene

Wash clothes, hands, and other exposed areas, before eating, drinking, smoking, and when leaving work.

9. Physical and chemical properties

Form: beige liquid

Odour: neutral

Ph value :

At 100g/l H₂O (20°C) 4-11 (slurry)

Melting point >100°C

Boiling point >100°C

Ignition temperature not available

Flash point not available

Explosion limits lower not available

Upper not available

Density (20°C) not available

Solubility in water (20°C) soluble

Particle size not available

10. Stability and reactivity

conditions to be avoided

not known to date

substances to be avoided

no information available

hazardous decomposition products

not know to date

further information

none

11. Toxicological information

Acute oral toxicity N/A

Skin irritation Slight skin irritation. No data found on skin absorption.

Eye irritation Slight eye irritation. Slight inhalation hazard particulates/dust.

12. Ecological information

Ecotoxic effects:

Quantitative data on the ecological effect of this product are not available.

Further ecologic data:

No ecological problems are to be expected when the product is handled and used with due care and attention.

13. Disposal considerations

Product :

Chemicals must be disposed of in compliance with the respective national regulations.

Packaging:

product packaging must be disposed of in compliance with the country-specific regulations

Or must be passed to a packaging return system.

Protection against fire and explosion N/A

14. Transport information

Entire package: not subject to transport regulations.

UN number

ADR/RID : -IMDG: -IATA(60th Version):-

UN proper shipping name

ADR/RID: Not dangerous goods IMDG: Not dangerous goods IATA: Not dangerous goods

Transport hazard class(es)

ADR/RID : -IMDG: -IAT(60th Version):-

Packaging group

ADR/RID : -IMDG: -IATA(60th Version):-

Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA (60th Version):-

15 Regulatory information

Labeling according to EC Directives

Symbol ---

R- phrases ---

S-phrases Avoid contact with eyes

TSCA inventory status Y

TSCA 12(b) export notification Not listed

16 Other information

Packaging:

Type	Suitability
Glass	Yes
Ferrie	No
Mild steel	No
Stainless steel	Yes
HPPE	Yes
F/HDPE	Yes
Other plastic	Yes

Shelf life

When stored within advised conditions re-test after 12 months,
then at 6 monthly intervals up to a maximum shelf life of 24 months.

Reason for alteration

Specific control parameter.

Toxicological information

General update

Regional representation:

This information is given on the authorised Safety Data Sheet for your country.

